

SDS Report

No. SHATY1417181006

Date: Apr. 21, 2015

Page 1 of 1

SHANGHAI XINYUAN STATIONERY CO.,LTD Chang shou Road ,Putuo District, Shanghai NO.1,Lane 704 Room 181.

SGS Ref. No. Sample Name End Uses Composition/Ingredient of sample (as per client submission) Job Receiving Date Last Information Date SDS Preparation Period	: : : : : : : : : : : : : : : : : : : :	SHTY140900014752 Erasable neutral ink temperature change (black) Stationery See <i>Section 3 Composition/information on ingredients</i> on the SDS report Apr 14, 2015 Apr 15, 2015 Apr 14 - 17, 2015
Service Requested	:	Preparation of Safety Data Sheet (SDS) for the sample with submitted information.
Summary	:	As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 453/2010, and is provided per attached.

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wei WANG, Terry Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document coand be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gss.com

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn HL: (86–21) 61402594 HL: (86–21)54500353 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Safety Data Sheet Regulation(EC) No.1907/2006, 1272/2008	Page 1/7
Printing date 16.04.2015 Revis	sion: 16.04.2015
SECTION 1: Identification of the substance/mixture and of the company/un	dertaking
• 1.1 Product identifier • Trade name: <u>Erasable neutral ink temperature change (black)</u>	
 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture: Stationery 	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SHANGHAI XINYUAN STATIONERY CO.,LTD Chang shou Road ,Putuo District, Shanghai NO.1,Lane 704 Room 181. Tel: 13585715362 Email: liaoyan025@163.com Only Representative/ other EU contact point: zaoliang luo 	
Fahrstr.8a 91054 Erlangen Tel: +49 160 6449611 · Further information obtainable from: SHANGHAI XINYUAN STATIONERY CO.,LTD	
1.4 Emergency telephone number: DU LIANG Tel: 13585715362	
GERMANY Clinical Toxicology and Berlin Poison Information Centre Tel: +49 030 19240	
· 1.5 Reference Number: SHTY140900014752; SHATY1417181006	
SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008	
The product is not classified according to the CLP regulation.	
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of Regulation (EC) Classification system: The classification is according to the latest edition of the Directive 67/548/EEC , 1999/45/EC (EC) No. 1272/2008, and extended by company and literature data. 	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Not applicable. Hazard pictograms Not applicable. Signal word Not applicable. 	
 Hazard-determining components of labelling: Not applicable. Hazard statements Not applicable. Precautionary statements Not applicable. 	
 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed risk phrases refer to section 16.

(Contd. on page 2)

Printing date 16.04.2015

Revision: 16.04.2015

Trade name: Erasable neutral ink temperature change (black)

	(Contd.	of page 1)
· Composition:		
CAS: 29512-49-0 EINECS: 249-676-0	2'-anilino-6'-(diethylamino)-3'-methylspiro[isobenzofuran-1(3H),9'-[9H] xanthene]-3-one	40,0%
CAS: 11138-66-2 EINECS: 234-394-2	Xanthan gum	30,0%
CAS: 7732-18-5 EINECS: 231-791-2	Water	20,0%
CAS: 9004-61-9 EINECS: 232-678-0	Hyaluronic Acid	5,0%
CAS: 9003-01-4	Polyacrylic acid	4,5%
	hexadecyldimethylamine ☐ C R34; 🗙 Xn R22; 🌄 N R50 ♦ Skin Corr. IB, H314; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302	0,5%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Rinse out mouth with water.

If symptoms persist consult doctor.

Never give anything by mouth to an unconscious person.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO_{2} powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit. Mouth respiratory protective device.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Avoid contact with eyes.
 Avoid contact with skin.


• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

EU

Printing date 16.04.2015

Revision: 16.04.2015



- · PNECs: Not applicable.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Appropriate engineering controls See Section 7 for information about design of technical facilities.
- · Personal protective equipment
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 4)

EU

Printing date 16.04.2015

Revision: 16.04.2015

Trade name: Erasable neutral ink temperature change (black)

(Contd. of page 3)

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Environmental exposure contros:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical c General Information 	
· Appearance:	
Form:	Liquid
Colour:	Black
· Odour:	Slight
· Odour threshold:	Data not available.
· pH-value:	Data not available.
· Change in condition:	
Melting point/Melting range:	Data not available.
· Freezing point:	Data not available.
• Boiling point/Boiling range:	Data not available.
· Flash point:	Data not available.
· Flammability (solid, gaseous):	Not applicable.
• Auto-ignition temperature:	Data not available.
• Decomposition temperature:	Data not available.
· Self-igniting:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Data not available.
Upper:	Data not available.
· Oxidizing properties:	Data not available.
· Vapour pressure:	Data not available.
· Density:	Data not available.
· Relative density:	Data not available.
· Vapour density:	Data not available.
· Evaporation rate:	Data not available.
· Solubility in / Miscibility with	
water:	Data not available.
· Partition coefficient (n-octanol/wat	t er): Data not available.
· Viscosity:	
Dynamic:	Data not available.

Printing date 16.04.2015

Revision: 16.04.2015

(Contd. of page 4)

Trade name: Erasable neutral ink temperature change (black)

Kinematic:

Data not available.

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No decomposition if used according to specifications.

· 10.2 Chemical stability Stable under recommended storage conditions.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

112-69-6 hexadecyldimethylamine

Oral LD50 >3000 mg/kg (mouse)

- · Primary irritant effect
- on the skin: Irritating effect possible.
- \cdot on the eye: Irritating effect possible.
- · Sensitisation: Sensitization possible.
- · Additional toxicological information:

The product is not subjected to classification according to the calculation method based on the EU Directives 67/548/EEC, 1999/45/EC and Regulation 1272/2008/EC.

- Toxicokinetics, metabolism and distribution: Data not available.
- · Acute effects (acute toxicity, irritation and corrosivity): Data not available.
- · Repeated dose toxicity: Data not available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Data not available.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

(Contd. on page 6)

Printing date 16.04.2015

Revision: 16.04.2015

Trade name: Erasable neutral ink temperature change (black)

(Contd. of page 5) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packaging

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport informat	tion	
· 14.1 UN-Number · ADR, IMDG, IATA	Not applicable.	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Not applicable.	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Not applicable.	
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable.	
· 14.5 Environmental hazards · Marine pollutant:	No	
\cdot 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK(German Maximum Workplace Concentration)

None of the ingredients is listed.

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (17/12/2014)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction (2/3/2015)

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

FΠ

Printing date 16.04.2015

Revision: 16.04.2015

Trade name: Erasable neutral ink temperature change (black)

(Contd. of page 6)

EU

SECTION 16: Other information

· Relevant phrases

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life.

R22 Harmful if swallowed.

R34 Causes burns.

EC, 67/548/EEC.

R50 Very toxic to aquatic organisms.

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

End of document