

PICAFLOR VE240



PICAFLOR 240 YELLOW LATEX CLEANING GLOVE
Rif. VE240



Caratteristiche prodotto

Latex with cotton flock lining.
Length: 30 cm.
Thickness: 0,38 mm.

Support: 100% natural latex.
Flocking: 100% cotton.

COLOUR
Yellow

SIZE
6/7, 7/8, 8/9, 9/10

Utilizzi prodotto - Rischi



Biological chemical particles



Heavy industry



Light industry



Hygiene environment

CHEM D-FINDER





REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 1: Resistance to abrasion (from 1 to 4)
- 0: Resistance to cutting (from 1 to 5)
- 1: Resistance to tear (from 1 to 4)
- 0: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms -
Part 1: Terminology and performance requirements for chemical risks.

TYPE B: Type B - Water and air tightness according to EN374-2:2014. Permeation resistance to at least 3 chemicals at level 2 according to EN16523-1: 2015 (from 1 to 6).

..: Determination of resistance to degradation by chemicals according to EN374-4: 2013. Part 4: Determination of resistance to degradation by chemicals.

- K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
- L 2 > 30 mn: Sulphuric acid 96 % (L) CAS 7664-93-9
- M 4 > 120 mn: Nitric acid 65% (M) CAS 7697-37-2
- P 4 > 120 mn: Hydrogen peroxide 30% (P) 7722-84-1
- T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms -
Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA

+ ..: BACTERIA + MUSHROOMS : Water and air tightness according to EN374-2:2014.



MUSHROOMS



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration
..: Contact with any type of food

Riferimenti

Riferimenti	Codice a barre	COLOUR	SIZE		
VE240JA06	3295249008680	Yellow	6/7	144	12
VE240JA07	3295249008697	Yellow	7/8	144	12
VE240JA08	3295249008703	Yellow	8/9	144	12
VE240JA09	3295249008710	Yellow	9/10	144	12