

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Marking crayon black / Wax marking crayon blue, red, black

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

for winning and marking

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Pelikan PBS-Produktionsgesellschaft mbH & Co.KG

Pelikanstr. 11

31228 Peine – Vöhrum

Telephone no. +49 (0) 5171 299 - 0

Information provided by / telephone

Chemisches Labor

Tel.: +49 (0) 5171 - 299 - 0

ppg-ps@pelikan.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Not relevant

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture based on: kaolin, wax and pigments

Hazardous ingredients

No	Substance name	Classification (EC) 1272/2008 (CLP)	Additional information	%
	CAS / EC / Index / REACH no		Concentration	
1	CARBON BLACK			
	1333-86-4 215-609-9	-	>= 5.00 - < 10.00	wt%

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

	-			
2	ammonium iron(3+) hexakis(cyano-C)ferrate(4-)			
	25869-00-5 247-304-1 - -	-	>= 5.00 - < 10.00	wt%
3	Kaolin			
	1332-58-7 310-194-1 - -	-	< 5.00	wt%
4	29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper			
	147-14-8 205-685-1 - 01-2119458771-32	-	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Seek medical advice. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Foam; Carbon dioxide; Water mist

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary.

General protective and hygiene measures

Keep away from foodstuffs and beverages. Avoid skin and eye contact.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original. Keep container tightly closed.

Incompatible products

Do not store together with: oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	CARBON BLACK	1333-86-4	215-609-9
	List of approved workplace exposure limits (WELs) / EH40		
	Carbon black		
	WEL short-term (15 min reference period)	7	mg/m ³
	WEL long-term (8-hr TWA reference period)	3.5	mg/m ³
2	ammonium iron(3+) hexakis(cyano-C)ferrate(4-)	25869-00-5	247-304-1
	List of approved workplace exposure limits (WELs) / EH40		
	Iron salts (as Fe)		
	WEL short-term (15 min reference period)	2	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³
3	Kaolin	1332-58-7	310-194-1

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

List of approved workplace exposure limits (WELs) / EH40			
Kaolin			
respirable dust			
	WEL long-term (8-hr TWA reference period)	2	mg/m ³
4	29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	147-14-8	205-685-1
List of approved workplace exposure limits (WELs) / EH40			
Copper and compounds (as Cu) dusts and mists			
	WEL short-term (15 min reference period)	2	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

Under normal working conditions no personal respiratory protection is necessary. If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn.

Eye / face protection

No special measures required.

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	nitrile rubber		
Material thickness		0.35	mm
Breakthrough time	>	480	min
Appropriate Material	fluorinated rubber		
Material thickness		0.4	mm
Breakthrough time	>	480	min

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation
solid
Form/Colour
solid
product specific
Odour
weak
pH value
Not applicable
Boiling point / boiling range
Not applicable
Melting point/freezing point
No data available
Decomposition temperature

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

No data available	
Flash point	
Not applicable	
Ignition temperature	
Not applicable	
Flammability	
No data available	
Lower explosion limit	
Not applicable	
Upper explosion limit	
Not applicable	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
No data available	
Solubility in water	
Reference temperature	20 °C
Comments	insoluble
Solubility	
No data available	
Partition coefficient n-octanol/water (log value)	
No data available	
Viscosity	
Not applicable	
Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, when used as directed.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

strong oxidizing agents

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No	Product Name
1	Marking crayon black / Wax marking crayon blue, red, black
LD50	> 8000 mg/kg
Species	rat
Method	Derived from the properties of its components.
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	
Skin corrosion/irritation	
No data available	
Serious eye damage/irritation	
No data available	
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

Toxicity to Daphnia (acute)
No data available

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)
No data available

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Smaller quantities can be disposed with household garbage.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content	0	%
-------------	---	---

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Further information

Not to be used by children.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

Trade name: Marking crayon black / Wax marking crayon blue, red, black

Current version : 1.0.0, issued: 06.10.2021

Replaced version: -, issued: -

Region: GB

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 779741